



Centro Inox Lombardo
 Via Giovanni XXIII, 23 - Cermonate (CO)
 Tel. 031 72 22 33 / 031 72 23 73
 Fax 031 77 88 62
 E-mail: info@cil-inox.com

TUBI - Tondi

Qualità: AISI 304 - 316 - 316L

Finiture superficiali: Spazzolati - Decapati - Satinati - Lucidi

Esecuzione: HF - TIG

TABELLA PESI TUBI TONDI ELETRONITTI

GAS	diam.	SPESSORI			
		1	1,5	2	3
	6	0,125			
	8	0,175			
	10	0,225	0,319		
	12	0,275	0,394		
	14	0,362	0,47	0,601	
	15	0,351	0,507	0,651	
	16	0,376	0,545	0,701	
3/8"	17,2		0,591	0,761	
	18	0,462	0,621	0,801	
	20	0,476	0,695	0,901	
1/2"	21,3		0,744	0,967	1,375
	22		0,77	1,002	
	25		0,883	1,152	
3/4"	26,9		0,954	1,247	1,795
	28		0,995	1,302	
	30		1,071	1,402	
	32		1,146	1,502	
1"	33,7		1,209	1,588	2,306
	35		1,258	1,653	
	38		1,375	1,808	

GAS	diam.	SPESSORI			
		1	1,5	2	3
	40		1,446	1,903	
1" 1/4	42,4		1,536	2,023	2,961
1" 1/2	48,3		1,758	2,319	3,403
	50		1,822	2,404	3,531
	52		1,897	2,504	
	54		1,972	2,604	
2"	60,3		2,209	2,92	4,304
	70		2,573	3,405	
2" 1/2	76,1		2,802	3,711	5,491
	80			3,906	
3"	88,9			4,352	6,453
2" 1/2	101,6			4,988	7,407
4"	114,3			5,62	8,36
	129			6,36	
5"	139,7			6,901	10,27
	154			7,61	
6"	168,3			8,33	12,42
8"	219,1			10,87	16,23
10"	273			13,57	20,28



Centro Inox Lombardo
Via Giovanni XXIII, 23 - Cermenate (CO)
Tel. 031 72 22 33 / 031 72 23 73
Fax 031 77 88 62
E-mail: info@cil-inox.com

TUBI - Tubi quadri elettrouniti

Qualità: AISI 304 - 316 - 316L

Finiture superficiali: Spazzolati - Decapati - Satinati

Esecuzione: HF

TABELLA PESI TUBI QUADRI ELETTRUNITI ACCIAIO INOX

LARGH.	SPESSORI			
	1	1,5	2	3
10x10	0,29			
12x12		0,52		
15x15		0,66		
20x20		0,90	1,18	
25x25		1,14	1,51	
30x30		1,38	1,81	2,65
35x35		1,62	2,13	
40x40		1,86	2,45	3,61
45x45		2,10	2,77	

LARGH.	SPESSORI			
	1	1,5	2	3
50x50		2,33	3,09	4,56
60x60		2,81	3,73	5,52
70x70		3,29	4,36	6,47
80x80		3,77	5,01	7,43
100x100			6,28	9,34
120x120			7,55	11,25
150x150			9,47	14,13
200x200				18,71



Centro Inox Lombardo
Via Giovanni XXIII, 23 - Cermenate (CO)
Tel. 031 72 22 33 / 031 72 23 73
Fax 031 77 88 62
E-mail: info@cil-inox.com

TUBI - Tubi rettangolari elettrouniti

Qualità: AISI 304 - 316 - 316L

Finiture superficiali: Spazzolati - Decapati - Satinati

Esecuzione: HF

TABELLA PESI TUBI RETTANGOLARI ELETTRUNITI ACCIAIO INOX

LARGH.	SPESSORI		
	1,5	2	3
20x10	0,66		
20x15	0,78		
25x15	0,90		
30x10	0,90		
30x15	1,02		
30x20	1,14	1,49	
40x15	1,26		
40x20	1,38	1,81	
40x30	1,62	2,13	
50x20	1,62	2,13	
50x25	1,75	2,30	
50x30	1,85	2,45	3,60

LARGH.	SPESSORI		
	1,5	2	3
50x40		2,77	4,08
60x20	1,85	2,45	3,60
60x30	2,09	2,77	4,08
60x40	2,34	3,09	4,56
80x40	2,81	3,73	5,52
80x60		4,36	6,47
100x40		4,36	6,47
100x50		4,68	6,95
100x60		5,00	7,43
120x60			11,08
150x50			12,35